

P 規格 O-RING

單位 unit: mm

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
P-003	2.80	6.60	1.90
P-004	3.80	7.60	1.90
P-005	4.80	8.60	1.90
P-006	5.80	9.60	1.90
P-007	6.80	10.60	1.90
P-008	7.80	11.60	1.90
P-009	8.80	12.60	1.90
P-010	9.80	13.60	1.90
P-010-011	11.00	14.80	1.90
P-010-012	12.20	16.00	1.90
P-010-013	13.00	16.80	1.90
P-010-014	13.80	17.60	1.90
P-010-015	14.80	18.60	1.90
P-010-016	15.80	19.60	1.90
P-010-017	16.80	20.60	1.90
P-010-018	17.80	21.60	1.90
P-010-020	19.80	23.60	1.90
P-010-021	20.80	24.60	1.90
P-010-022	22.10	25.90	1.90
P-010-023	23.30	27.10	1.90
P-010-025	24.70	28.50	1.90
P-010-031	31.20	35.00	1.90
P-010-033	33.20	37.00	1.90
P-010A	9.80	14.60	2.40
P-011	10.80	15.60	2.40
P-011.2	11.00	15.80	2.40
P-012	11.80	16.60	2.40
P-012.5	12.30	17.10	2.40
P-013	12.80	17.60	2.40
P-014	13.80	18.60	2.40
P-015	14.80	19.60	2.40
P-016	15.80	20.60	2.40
P-017	16.80	21.60	2.40
P-018	17.80	22.60	2.40
P-019	18.80	23.60	2.40
P-020	19.80	24.60	2.40
P-021	20.80	25.60	2.40
P-022	21.80	26.60	2.40
P-022-023	23.30	28.10	2.40
P-022-025	24.70	29.50	2.40
P-022-026	26.20	31.00	2.40
P-022-028	27.70	32.50	2.40
P-022-030	29.70	34.50	2.40
P-022-031	31.20	36.00	2.40
P-022-033	33.20	38.00	2.40

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
P-022-035	35.20	40.00	2.40
P-022-036	36.20	41.00	2.40
P-022-037	37.20	42.00	2.40
P-022-045	44.70	49.50	2.40
P-022-047	47.20	52.00	2.40
P-022-053	52.60	57.40	2.40
P-022-056	55.60	60.40	2.40
P-022-058	57.50	62.30	2.40
P-022-060	59.60	64.40	2.40
P-022-064	63.60	68.40	2.40
P-022-069	68.60	73.40	2.40
P-022-070	69.20	74.00	2.40
P-022-071	70.60	75.40	2.40
P-022A	21.70	28.70	3.50
P-022.4	22.10	29.10	3.50
P-024	23.70	30.70	3.50
P-025	24.70	31.70	3.50
P-025.5	25.20	32.20	3.50
P-026	25.70	32.70	3.50
P-028	27.70	34.70	3.50
P-029	28.70	35.70	3.50
P-029.5	29.20	36.20	3.50
P-030	29.70	36.70	3.50
P-031	30.70	37.70	3.50
P-031.5	31.20	38.20	3.50
P-032	31.70	38.70	3.50
P-034	33.70	40.70	3.50
P-035	34.70	41.70	3.50
P-035.5	35.20	42.20	3.50
P-036	35.70	42.70	3.50
P-038	37.70	44.70	3.50
P-039	38.70	45.70	3.50
P-040	37.70	46.70	3.50
P-041	40.70	47.70	3.50
P-042	41.70	48.70	3.50
P-044	43.70	50.70	3.50
P-045	44.70	51.70	3.50
P-046	45.70	52.70	3.50
P-048	47.70	54.70	3.50
P-049	48.80	55.70	3.50
P-050	49.70	56.70	3.50
P-050-052	51.60	58.60	3.50
P-050-055	54.60	61.60	3.50
P-050-058	57.60	64.60	3.50
P-050-060	59.52	66.52	3.50

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
P-050-065	64.60	71.60	3.50
P-050-068	67.60	74.60	3.50
P-050-070	69.60	76.60	3.50
P-050-075	74.60	81.60	3.50
P-050-078	77.60	84.60	3.50
P-050-080	79.60	86.60	3.50
P-050-082	81.60	88.60	3.50
P-050-085	84.60	91.60	3.50
P-050-088	87.60	94.60	3.50
P-050-090	89.60	96.60	3.50
P-050-092	91.60	98.60	3.50
P-050-095	94.60	101.60	3.50
P-050-098	97.60	104.60	3.50
P-050-100	99.60	106.60	3.50
P-050-105	104.60	111.60	3.50
P-050-110	109.60	116.60	3.50
P-050-115	114.60	121.60	3.50
P-050-120	119.60	126.60	3.50
P-050-125	124.60	131.60	3.50
P-050-130	129.60	136.60	3.50
P-050-140	139.60	146.60	3.50
P-050-145	144.60	151.60	3.50
P-044A	43.30	55.70	5.70
P-048A	47.60	59.00	5.70
P-050A	49.60	56.70	5.70
P-052	51.60	63.00	5.70
P-053	52.60	64.00	5.70
P-055	54.60	66.00	5.70
P-056	55.60	67.00	5.70
P-058	57.60	69.00	5.70
P-060	59.60	71.00	5.70
P-062	61.60	73.00	5.70
P-063	62.60	74.00	5.70
P-065	64.60	76.00	5.70
P-067	66.60	78.00	5.70
P-068	67.60	79.00	5.70
P-070	69.60	81.00	5.70
P-071	70.60	82.00	5.70
P-075	74.60	86.00	5.70
P-080	79.60	91.00	5.70
P-085	84.60	96.00	5.70
P-090	89.60	101.00	5.70
P-095	94.60	106.00	5.70
P-100	99.60	111.00	5.70
P-102	101.60	113.00	5.70

AS 規格 O-RING

單位 unit: mm

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
AS-309	10.46	21.12	5.33
AS-310	12.07	22.73	5.33
AS-311	13.64	24.30	5.33
AS-312	15.24	25.90	5.33
AS-313	16.81	27.47	5.33
AS-314	18.42	29.07	5.33
AS-315	19.99	30.65	5.33
AS-316	21.59	32.25	5.33
AS-317	23.16	33.82	5.33
AS-318	24.77	35.43	5.33
AS-319	26.34	37.00	5.33
AS-320	29.94	38.60	5.33
AS-321	29.51	40.17	5.33
AS-322	31.12	41.78	5.33
AS-323	32.69	43.35	5.33
AS-324	34.29	44.95	5.33
AS-325	37.47	48.13	5.33
AS-326	40.65	51.31	5.33
AS-327	43.82	54.48	5.33
AS-328	46.99	57.65	5.33
AS-329	50.16	60.82	5.33
AS-330	53.34	64.00	5.33
AS-331	56.52	67.18	5.33
AS-332	59.69	70.35	5.33
AS-333	62.87	73.53	5.33
AS-334	66.04	76.70	5.33
AS-335	69.22	79.88	5.33
AS-336	72.39	83.05	5.33
AS-337	75.57	86.23	5.33
AS-338	78.74	89.40	5.33
AS-339	81.92	92.58	5.33
AS-340	85.09	95.75	5.33
AS-341	88.27	98.93	5.33
AS-342	91.44	102.10	5.33
AS-343	94.62	105.28	5.33
AS-344	97.79	108.45	5.33
AS-345	100.96	111.62	5.33
AS-346	104.14	114.80	5.33
AS-347	107.32	117.98	5.33
AS-348	110.49	121.15	5.33
AS-349	113.67	124.33	5.33
AS-350	116.84	127.50	5.33
AS-351	120.02	130.68	5.33
AS-352	123.19	133.85	5.33
AS-353	124.37	137.03	5.33

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
AS-354	129.54	140.20	5.33
AS-355	132.72	143.38	5.33
AS-356	135.89	146.55	5.33
AS-357	139.07	149.73	5.33
AS-358	142.24	152.90	5.33
AS-359	145.42	156.08	5.33
AS-360	148.59	159.25	5.33
AS-361	151.77	162.43	5.33
AS-362	158.12	168.78	5.33
AS-363	164.47	175.13	5.33
AS-364	170.82	181.48	5.33
AS-365	177.17	187.83	5.33
AS-366	183.52	194.18	5.33
AS-367	189.87	200.53	5.33
AS-368	196.22	206.88	5.33
AS-369	202.57	213.23	5.33
AS-370	208.92	219.58	5.33
AS-371	215.27	225.93	5.33
AS-372	221.62	232.28	5.33
AS-373	227.97	238.63	5.33
AS-374	234.32	244.98	5.33
AS-375	240.67	251.33	5.33
AS-376	247.02	257.68	5.33
AS-377	253.37	264.03	5.33
AS-378	266.07	276.73	5.33
AS-379	278.77	289.43	5.33
AS-380	291.47	302.13	5.33
AS-381	304.17	314.83	5.33
AS-382	329.55	340.21	5.33
AS-383	354.97	365.63	5.33
AS-384	380.37	391.03	5.33
AS-385	405.26	415.92	5.33
AS-386	430.65	441.31	5.33
AS-387	456.04	466.72	5.33
AS-388	481.46	492.12	5.33
AS-389	506.84	517.52	5.33
AS-390	532.26	542.92	5.33
AS-391	557.66	568.32	5.33
AS-392	582.65	593.31	5.33
AS-393	608.10	618.76	5.33
AS-394	633.50	644.16	5.33
AS-395	658.85	669.51	5.33

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
AS-425	113.67	127.65	6.99
AS-426	116.84	130.82	6.99
AS-427	120.02	134.00	6.99
AS-428	123.19	137.17	6.99
AS-429	126.37	140.35	6.99
AS-430	129.54	143.52	6.99
AS-431	132.72	146.70	6.99
AS-432	135.89	149.87	6.99
AS-433	139.07	153.05	6.99
AS-434	142.24	156.22	6.99
AS-435	145.42	159.40	6.99
AS-436	148.59	162.57	6.99
AS-437	151.77	165.75	6.99
AS-438	158.12	172.10	6.99
AS-439	164.47	178.45	6.99
AS-440	170.82	184.80	6.99
AS-441	177.17	191.15	6.99
AS-442	183.52	197.50	6.99
AS-443	189.87	203.85	6.99
AS-444	196.22	210.20	6.99
AS-445	202.57	216.55	6.99
AS-446	215.27	229.25	6.99
AS-447	227.97	241.95	6.99
AS-448	240.67	254.65	6.99
AS-449	253.37	267.35	6.99
AS-450	266.07	280.05	6.99
AS-451	278.77	292.75	6.99
AS-452	291.47	305.45	6.99
AS-453	304.17	318.15	6.99
AS-454	316.87	330.85	6.99
AS-455	329.57	343.55	6.99
AS-456	342.27	356.25	6.99
AS-457	354.97	368.95	6.99
AS-458	367.67	381.65	6.99
AS-459	380.37	394.35	6.99
AS-460	393.07	407.05	6.99
AS-461	405.26	419.24	6.99
AS-462	417.96	431.94	6.99
AS-463	430.66	444.64	6.99
AS-464	443.36	457.34	6.99
AS-465	456.06	470.04	6.99
AS-466	468.76	482.74	6.99
AS-467	481.46	495.44	6.99
AS-468	494.16	508.14	6.99
AS-469	506.86	520.84	6.99

