

P 規格 O-RING

單位 unit: mm

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
P-003	2.80	6.60	1.90
P-004	3.80	7.60	1.90
P-005	4.80	8.60	1.90
P-006	5.80	9.60	1.90
P-007	6.80	10.60	1.90
P-008	7.80	11.60	1.90
P-009	8.80	12.60	1.90
P-010	9.80	13.60	1.90
P-010-011	11.00	14.80	1.90
P-010-012	12.20	16.00	1.90
P-010-013	13.00	16.80	1.90
P-010-014	13.80	17.60	1.90
P-010-015	14.80	18.60	1.90
P-010-016	15.80	19.60	1.90
P-010-017	16.80	20.60	1.90
P-010-018	17.80	21.60	1.90
P-010-020	19.80	23.60	1.90
P-010-021	20.80	24.60	1.90
P-010-022	22.10	25.90	1.90
P-010-023	23.30	27.10	1.90
P-010-025	24.70	28.50	1.90
P-010-031	31.20	35.00	1.90
P-010-033	33.20	37.00	1.90
P-010A	9.80	14.60	2.40
P-011	10.80	15.60	2.40
P-011.2	11.00	15.80	2.40
P-012	11.80	16.60	2.40
P-012.5	12.30	17.10	2.40
P-013	12.80	17.60	2.40
P-014	13.80	18.60	2.40
P-015	14.80	19.60	2.40
P-016	15.80	20.60	2.40
P-017	16.80	21.60	2.40
P-018	17.80	22.60	2.40
P-019	18.80	23.60	2.40
P-020	19.80	24.60	2.40
P-021	20.80	25.60	2.40
P-022	21.80	26.60	2.40
P-022-023	23.30	28.10	2.40
P-022-025	24.70	29.50	2.40
P-022-026	26.20	31.00	2.40
P-022-028	27.70	32.50	2.40
P-022-030	29.70	34.50	2.40
P-022-031	31.20	36.00	2.40
P-022-033	33.20	38.00	2.40

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
P-022-035	35.20	40.00	2.40
P-022-036	36.20	41.00	2.40
P-022-037	37.20	42.00	2.40
P-022-045	44.70	49.50	2.40
P-022-047	47.20	52.00	2.40
P-022-053	52.60	57.40	2.40
P-022-056	55.60	60.40	2.40
P-022-058	57.50	62.30	2.40
P-022-060	59.60	64.40	2.40
P-022-064	63.60	68.40	2.40
P-022-069	68.60	73.40	2.40
P-022-070	69.20	74.00	2.40
P-022-071	70.60	75.40	2.40
P-022A	21.70	28.70	3.50
P-022.4	22.10	29.10	3.50
P-024	23.70	30.70	3.50
P-025	24.70	31.70	3.50
P-025.5	25.20	32.20	3.50
P-026	25.70	32.70	3.50
P-028	27.70	34.70	3.50
P-029	28.70	35.70	3.50
P-029.5	29.20	36.20	3.50
P-030	29.70	36.70	3.50
P-031	30.70	37.70	3.50
P-031.5	31.20	38.20	3.50
P-032	31.70	38.70	3.50
P-034	33.70	40.70	3.50
P-035	34.70	41.70	3.50
P-035.5	35.20	42.20	3.50
P-036	35.70	42.70	3.50
P-038	37.70	44.70	3.50
P-039	38.70	45.70	3.50
P-040	37.70	46.70	3.50
P-041	40.70	47.70	3.50
P-042	41.70	48.70	3.50
P-044	43.70	50.70	3.50
P-045	44.70	51.70	3.50
P-046	45.70	52.70	3.50
P-048	47.70	54.70	3.50
P-049	48.80	55.70	3.50
P-050	49.70	56.70	3.50
P-050-052	51.60	58.60	3.50
P-050-055	54.60	61.60	3.50
P-050-058	57.60	64.60	3.50
P-050-060	59.52	66.52	3.50

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
P-050-065	64.60	71.60	3.50
P-050-068	67.60	74.60	3.50
P-050-070	69.60	76.60	3.50
P-050-075	74.60	81.60	3.50
P-050-078	77.60	84.60	3.50
P-050-080	79.60	86.60	3.50
P-050-082	81.60	88.60	3.50
P-050-085	84.60	91.60	3.50
P-050-088	87.60	94.60	3.50
P-050-090	89.60	96.60	3.50
P-050-092	91.60	98.60	3.50
P-050-095	94.60	101.60	3.50
P-050-098	97.60	104.60	3.50
P-050-100	99.60	106.60	3.50
P-050-105	104.60	111.60	3.50
P-050-110	109.60	116.60	3.50
P-050-115	114.60	121.60	3.50
P-050-120	119.60	126.60	3.50
P-050-125	124.60	131.60	3.50
P-050-130	129.60	136.60	3.50
P-050-140	139.60	146.60	3.50
P-050-145	144.60	151.60	3.50
P-044A	43.30	55.70	5.70
P-048A	47.60	59.00	5.70
P-050A	49.60	56.70	5.70
P-052	51.60	63.00	5.70
P-053	52.60	64.00	5.70
P-055	54.60	66.00	5.70
P-056	55.60	67.00	5.70
P-058	57.60	69.00	5.70
P-060	59.60	71.00	5.70
P-062	61.60	73.00	5.70
P-063	62.60	74.00	5.70
P-065	64.60	76.00	5.70
P-067	66.60	78.00	5.70
P-068	67.60	79.00	5.70
P-070	69.60	81.00	5.70
P-071	70.60	82.00	5.70
P-075	74.60	86.00	5.70
P-080	79.60	91.00	5.70
P-085	84.60	96.00	5.70
P-090	89.60	101.00	5.70
P-095	94.60	106.00	5.70
P-100	99.60	111.00	5.70
P-102	101.60	113.00	5.70











#### AS 規格 O-RING

單位 unit: mm

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
AS-309	10.46	21.12	5.33
AS-310	12.07	22.73	5.33
AS-311	13.64	24.30	5.33
AS-312	15.24	25.90	5.33
AS-313	16.81	27.47	5.33
AS-314	18.42	29.07	5.33
AS-315	19.99	30.65	5.33
AS-316	21.59	32.25	5.33
AS-317	23.16	33.82	5.33
AS-318	24.77	35.43	5.33
AS-319	26.34	37.00	5.33
AS-320	29.94	38.60	5.33
AS-321	29.51	40.17	5.33
AS-322	31.12	41.78	5.33
AS-323	32.69	43.35	5.33
AS-324	34.29	44.95	5.33
AS-325	37.47	48.13	5.33
AS-326	40.65	51.31	5.33
AS-327	43.82	54.48	5.33
AS-328	46.99	57.65	5.33
AS-329	50.16	60.82	5.33
AS-330	53.34	64.00	5.33
AS-331	56.52	67.18	5.33
AS-332	59.69	70.35	5.33
AS-333	62.87	73.53	5.33
AS-334	66.04	76.70	5.33
AS-335	69.22	79.88	5.33
AS-336	72.39	83.05	5.33
AS-337	75.57	86.23	5.33
AS-338	78.74	89.40	5.33
AS-339	81.92	92.58	5.33
AS-340	85.09	95.75	5.33
AS-341	88.27	98.93	5.33
AS-342	91.44	102.10	5.33
AS-343	94.62	105.28	5.33
AS-344	97.79	108.45	5.33
AS-345	100.96	111.62	5.33
AS-346	104.14	114.80	5.33
AS-347	107.32	117.98	5.33
AS-348	110.49	121.15	5.33
AS-349	113.67	124.33	5.33
AS-350	116.84	127.50	5.33
AS-351	120.02	130.68	5.33
AS-352	123.19	133.85	5.33
AS-353	124.37	137.03	5.33

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
AS-354	129.54	140.20	5.33
AS-355	132.72	143.38	5.33
AS-356	135.89	146.55	5.33
AS-357	139.07	149.73	5.33
AS-358	142.24	152.90	5.33
AS-359	145.42	156.08	5.33
AS-360	148.59	159.25	5.33
AS-361	151.77	162.43	5.33
AS-362	158.12	168.78	5.33
AS-363	164.47	175.13	5.33
AS-364	170.82	181.48	5.33
AS-365	177.17	187.83	5.33
AS-366	183.52	194.18	5.33
AS-367	189.87	200.53	5.33
AS-368	196.22	206.88	5.33
AS-369	202.57	213.23	5.33
AS-370	208.92	219.58	5.33
AS-371	215.27	225.93	5.33
AS-372	221.62	232.28	5.33
AS-373	227.97	238.63	5.33
AS-374	234.32	244.98	5.33
AS-375	240.67	251.33	5.33
AS-376	247.02	257.68	5.33
AS-377	253.37	264.03	5.33
AS-378	266.07	276.73	5.33
AS-379	278.77	289.43	5.33
AS-380	291.47	302.13	5.33
AS-381	304.17	314.83	5.33
AS-382	329.55	340.21	5.33
AS-383	354.97	365.63	5.33
AS-384	380.37	391.03	5.33
AS-385	405.26	415.92	5.33
AS-386	430.65	441.31	5.33
AS-387	456.04	466.72	5.33
AS-388	481.46	492.12	5.33
AS-389	506.84	517.52	5.33
AS-390	532.26	542.92	5.33
AS-391	557.66	568.32	5.33
AS-392	582.65	593.31	5.33
AS-393	608.10	618.76	5.33
AS-394	633.50	644.16	5.33
AS-395	658.85	669.51	5.33

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
AS-425	113.67	127.65	6.99
AS-426	116.84	130.82	6.99
AS-427	120.02	134.00	6.99
AS-428	123.19	137.17	6.99
AS-429	126.37	140.35	6.99
AS-430	129.54	143.52	6.99
AS-431	132.72	146.70	6.99
AS-432	135.89	149.87	6.99
AS-433	139.07	153.05	6.99
AS-434	142.24	156.22	6.99
AS-435	145.42	159.40	6.99
AS-436	148.59	162.57	6.99
AS-437	151.77	165.75	6.99
AS-438	158.12	172.10	6.99
AS-439	164.47	178.45	6.99
AS-440	170.82	184.80	6.99
AS-441	177.17	191.15	6.99
AS-442	183.52	197.50	6.99
AS-443	189.87	203.85	6.99
AS-444	196.22	210.20	6.99
AS-445	202.57	216.55	6.99
AS-446	215.27	229.25	6.99
AS-447	227.97	241.95	6.99
AS-448	240.67	254.65	6.99
AS-449	253.37	267.35	6.99
AS-450	266.07	280.05	6.99
AS-451	278.77	292.75	6.99
AS-452	291.47	305.45	6.99
AS-453	304.17	318.15	6.99
AS-454	316.87	330.85	6.99
AS-455	329.57	343.55	6.99
AS-456	342.27	356.25	6.99
AS-457	354.97	368.95	6.99
AS-458	367.67	381.65	6.99
AS-459	380.37	394.35	6.99
AS-460	393.07	407.05	6.99
AS-461	405.26	419.24	6.99
AS-462	417.96	431.94	6.99
AS-463	430.66	444.64	6.99
AS-464	443.36	457.34	6.99
AS-465	456.06	470.04	6.99
AS-466	468.76	482.74	6.99
AS-467	481.46	495.44	6.99
AS-468	494.16	508.14	6.99
AS-469	506.86	520.84	6.99









特製規格 O-RING

單位 unit: mm

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
1001.8	1.80	3.80	1.00
1002	2.00	4.00	1.00
1002.8	2.80	4.80	1.00
1003	3.00	5.00	1.00
1004	4.00	6.00	1.00
1004.35	4.35	6.35	1.00
1005	5.00	7.00	1.00
1005.5	5.50	7.50	1.00
1006	6.00	8.00	1.00
1007	7.00	9.00	1.00
1008	8.00	10.00	1.00
1009	9.00	11.00	1.00
1010	10.00	12.00	1.00
1011	11.00	13.00	1.00
1011.5	11.50	13.50	1.00
1012	12.00	14.00	1.00
1013	13.00	15.00	1.00
1014	14.00	16.00	1.00
1015	15.00	17.00	1.00
1016	16.00	18.00	1.00
1022	22.00	24.00	1.00
1023	23.00	25.00	1.00
1026	26.00	28.00	1.00
1029.8	29.80	31.80	1.00
1030	30.00	32.00	1.00
1032	32.00	34.00	1.00
1040	40.00	42.00	1.00
1048	48.00	50.00	1.00
1060	60.00	62.00	1.00

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
2001	1.00	5.00	2.00
2003	3.00	7.00	2.00
2004	4.00	8.00	2.00
2004.5	4.50	8.50	2.00
2005	5.00	9.00	2.00
2005.7	5.70	9.70	2.00
2006	6.00	10.00	2.00
2006.25	6.25	10.25	2.00
2006.5	6.50	10.50	2.00
2007	7.00	11.00	2.00
2007.5	7.50	11.50	2.00
2008	8.00	12.00	2.00
2008.5	8.50	12.50	2.00
2009	9.00	13.00	2.00
2009.5	9.50	13.50	2.00
2010	10.00	14.00	2.00
2010.7	10.70	14.70	2.00
2011	11.00	15.00	2.00
2012	12.00	16.00	2.00
2012.67	12.67	16.67	2.00
2012.8	12.80	16.80	2.00
2013	13.00	17.00	2.00
2014	14.00	18.00	2.00
2014.8	14.80	18.80	2.00
2015	15.00	19.00	2.00
2015.4	15.40	19.40	2.00
2016	16.00	20.00	2.00
2016.8	16.80	20.80	2.00
2017	17.00	21.00	2.00
2018	18.00	22.00	2.00
2018.87	18.87	22.87	2.00
2019	19.00	23.00	2.00
2020	20.00	24.00	2.00
2021	21.00	25.00	2.00
2022	22.00	26.00	2.00
2023	23.00	27.00	2.00
2024	24.00	28.00	2.00
2025	25.00	29.00	2.00
2026	26.00	30.00	2.00
2026.4	26.40	30.40	2.00
2027	27.00	31.00	2.00
2028	28.00	32.00	2.00
2029	29.00	33.00	2.00
2030	30.00	34.00	2.00
2032	32.00	36.00	2.00

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
2033	33.00	37.00	2.00
2034	34.00	38.00	2.00
2034.73	34.73	38.73	2.00
2035.23	35.23	39.23	2.00
2036	36.00	40.00	2.00
2038	38.00	42.00	2.00
2039	39.00	43.00	2.00
2040	40.00	44.00	2.00
2042	42.00	46.00	2.00
2043	43.00	47.00	2.00
2044	44.00	48.00	2.00
2045	45.00	49.00	2.00
2046	46.00	50.00	2.00
2046.5	46.50	50.50	2.00
2048	48.00	52.00	2.00
2049.8	49.50	53.80	2.00
2050.8	50.80	54.80	2.00
2053	53.00	57.00	2.00
2054	54.00	58.00	2.00
2055	55.00	59.00	2.00
2056	56.00	60.00	2.00
2056.15	56.15	60.15	2.00
2057	57.00	61.00	2.00
2058	58.00	62.00	2.00
2059	59.00	63.00	2.00
2060	60.00	64.00	2.00
2062	60.80	64.80	2.00
2063	63.00	67.00	2.00
2064.65	64.65	68.65	2.00
2065	65.00	69.00	2.00
2066	66.00	70.00	2.00
2067.4	67.40	71.40	2.00
2070	70.00	74.00	2.00
2071	71.00	75.00	2.00
2071.2	71.20	75.20	2.00
2072	72.00	76.00	2.00
2074	74.00	78.00	2.00
2074.35	74.35	78.35	2.00
2075	75.00	79.00	2.00
2075.4	75.40	79.40	2.00
2077	77.00	81.00	2.00
2077.6	77.60	81.60	2.00
2079.2	79.20	83.20	2.00
2080	80.00	84.00	2.00
2081	81.00	85.00	2.00



特製規格 O-RING

單位 unit: mm

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
3100	100.00	106.00	3.00
3102	102.00	108.00	3.00
3105	105.00	111.00	3.00
3108	108.00	114.00	3.00
3110	110.00	116.00	3.00
3112	112.00	118.00	3.00
3113	113.00	119.00	3.00
3115	115.00	121.00	3.00
3117	117.00	123.00	3.00
3118	118.00	124.00	3.00
3120	120.00	126.00	3.00
3122	122.00	128.00	3.00
3125	125.00	131.00	3.00
3128	128.00	134.00	3.00
3130	130.00	136.00	3.00
3132	132.00	138.00	3.00
3135	135.00	141.00	3.00
3137	137.00	143.00	3.00
3140	140.00	146.00	3.00
3145	145.00	151.00	3.00
3147	147.00	153.00	3.00
3150	150.00	156.00	3.00
3154	154.00	160.00	3.00
3155	155.00	161.00	3.00
3160	160.00	166.00	3.00
3165	165.00	171.00	3.00
3169.3	169.30	175.30	3.00
3170	170.00	176.00	3.00
3175	175.00	181.00	3.00
3180	180.00	186.00	3.00
3185	185.00	191.00	3.00
3190	190.00	196.00	3.00
3195	195.00	201.00	3.00
3200	200.00	206.00	3.00
3200.6	200.60	206.60	3.00
3205	205.00	211.00	3.00
3207	207.00	213.00	3.00
3210	210.00	216.00	3.00
3215	215.00	221.00	3.00
3220	220.00	226.00	3.00
3225	225.00	231.00	3.00
3230	230.00	236.00	3.00
3235	235.00	241.00	3.00
3240	240.00	246.00	3.00
3245	245.00	251.00	3.00

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
3250	250.00	256.00	3.00
3255	255.00	261.00	3.00
3260	260.00	266.00	3.00
3265	265.00	271.00	3.00
3270	270.00	276.00	3.00
3275	275.00	281.00	3.00
3280	280.00	286.00	3.00
3285	285.00	291.00	3.00
3290	290.00	296.00	3.00
3295	295.00	301.00	3.00
3300	300.00	306.00	3.00
3310	310.00	316.00	3.00
3320	320.00	326.00	3.00
3350	350.00	356.00	3.00
3489	489.00	495.00	3.00

編號	內徑 (I.D)	外徑 (O.D)	線徑 (W)
4008	8.00	16.00	4.00
4010	10.00	18.00	4.00
4011	11.00	19.00	4.00
4012	12.00	20.00	4.00
4013	13.00	21.00	4.00
4014	14.00	22.00	4.00
4015	15.00	23.00	4.00
4016	16.00	24.00	4.00
4017	17.00	25.00	4.00
4018	18.00	26.00	4.00
4019	19.00	27.00	4.00
4020	20.00	28.00	4.00
4021	21.00	29.00	4.00
4022	22.00	30.00	4.00
4024	24.00	32.00	4.00
4025	25.00	33.00	4.00
4026	26.00	34.00	4.00
4027	27.00	35.00	4.00
4028	28.00	36.00	4.00
4030	30.00	38.00	4.00
4031	31.00	39.00	4.00
4032	32.00	40.00	4.00
4033	33.00	41.00	4.00
4034	34.00	42.00	4.00
4035	35.00	43.00	4.00
4036	36.00	44.00	4.00
4037.7	37.70	45.70	4.00
4038	38.00	46.00	4.00
4040	40.00	48.00	4.00
4041	41.00	49.00	4.00
4042	42.00	50.00	4.00
4043	43.00	51.00	4.00
4044	44.00	52.00	4.00
4045	45.00	53.00	4.00
4047	47.00	55.00	4.00
4048	48.00	56.00	4.00
4050	50.00	58.00	4.00
4052	52.00	60.00	4.00
4054	54.00	62.00	4.00
4055	55.00	63.00	4.00
4056	56.00	64.00	4.00
4056.7	56.70	64.40	4.00
4058	58.00	66.00	4.00
4060	60.00	68.00	4.00
4062	62.00	70.00	4.00



